


TEAM[®]



**TEAM SelfSeal[®] Mechanical
Pipeline Repair Clamps**
Restoring Pipeline Integrity

TEAM SelfSeal[®] Mechanical Pipeline Repair Clamps

Restoring Pipeline Integrity

TEAM's range of SelfSeal mechanical pipeline repair clamps set a new standard for safety, efficiency and ease of use. Available in 1,000 psi (69 bar) and 1,500 psi (103 bar) pressure ratings, our enclosures are designed to the following specification:

- + Design and manufacture code ASME VII Div. 1
- + Carbon steel construction
- + Seal materials
 - Standard Buna-N nitrile seals -30°F TO 250°F / -34°C TO 121°C
 - Viton available on request -15°F TO 400°F / -26°C TO 205°C
- + Minimum design temperature for metal parts -20°F / -29°C
- + Designed to accommodate welding for permanent repairs
- + Enclosures can be refurbished and reused

In addition to this standard range, TEAM can respond quickly to request for customized solutions, such as:

- + Larger diameters
- + Increased lengths
- + Bend, valve and flange enclosures
- + Subsea solutions (marine paint, coated fasteners and anodes)
- + Fill and vent ports



Scan or click on QR codes to receive a quotation:



Standard Pipeline Clamps



Custom Pipeline Clamps

For general inquiries or custom solutions, please contact pipelineproducts@teaminc.com

TEAM SelfSeal Mechanical Pipeline Repair Clamps

Nominal Pipe Size		Inside Diameter (A)		Inside Length Between Seals (B)		Overall Length (C)		Part Number 1,000 psi	Part Number 1,500 psi
(in)	(mm)	(in)	(mm)	(in)	(mm)	(in)	(mm)		
1 1/2	38	2 1/8	54	5 1/2	140	9	229	310-0150	315-0150
2	51	2 5/8	67	5 3/4	146	9	229	310-0200	315-0200
2 1/2	64	3 1/8	79	5 1/4	133	8 1/2	216	310-0250	315-0250
3	76	4	102	5 1/4	133	8 1/2	216	310-0300	315-0300
4	102	5	127	5 1/4	133	8 1/2	216	310-0400	315-0400
6	152	7 1/8	181	5 1/4	133	8 1/2	216	310-0600	315-0600
8	203	9 1/8	232	5 1/4	133	9	229	310-0800	315-0800
10	254	11 1/4	286	5 1/4	133	10	254	310-1000	315-1000
12	305	13 1/4	337	5 1/4	133	10	254	310-1200	315-1200
14	356	14 1/2	368	5 1/2	140	10 1/2	267	310-1400	315-1400
16	406	16 1/2	419	5 1/2	140	10 1/2	267	310-1600	315-1600
18	457	18 1/2	470	8	203	14	356	310-1800	315-1800
20	508	20 1/2	521	8	203	14	356	310-2000	315-2000
22	559	22 1/2	572	8	203	14	356	310-2200	315-2200
24	610	24 1/2	622	8	203	14	356	310-2400	315-2400
26	660	26 1/2	673	8	203	14	356	310-2600	315-2600
28	711	28 1/2	724	8	203	14	356	310-2800	315-2800
30	762	30 1/2	775	8	203	14	356	310-3000	315-3000
32	813	32 1/2	826	8	203	14 1/4	362	310-3200	315-3200
34	864	34 1/2	876	8	203	14 1/4	362	310-3400	315-3400
36	914	36 1/2	927	8	203	14	356	310-3600	315-3600
38	965	38 1/2	978	8	203	14 1/4	362	310-3800	315-3800
40	1016	40 1/2	1029	8	203	14 1/4	362	310-4000	315-4000
42	1067	42 1/2	1080	8	203	16	406	310-4200	315-4200
44	1118	44 1/2	1130	8	203	16 1/4	413	310-4400	315-4400
46	1168	46 1/2	1181	8	203	16 1/4	413	310-4600	315-4600
48	1219	48 1/2	1232	8	203	16 1/4	413	310-4800	315-4800





TEAM®

TeamInc.com